

### ADIRONDACK AAIRE

SERIES

### AIR CONDITIONING/ HEAT PUMP

**Replacement PTAC Chassis for ACP/ Climate Master 'VT' Series** 

Description:

**NOMINAL CAPACITY:** 

12,000, 18,000 BTU/h

For Sales assistance call, 877-782-2289 / 877-PTAC-BUY



MADE IN

Adirondack-Aire 'VT' Series is a direct replacement for ACP/Climate Master 'VT' series chassis. The chassis is a part of a complete system, which consists of the chassis, blower section, heat section, control box, a wall sleeve, furred-in room cabinet, and outdoor louver. The new chassis is dimensionally identical to the original for a fast, easy, and trouble free installation. Proven technology, quality components, careful design and testing, and the latest in reliability and efficiency advances assure long life, user satisfaction, and lower energy cost! Add to this our exclusive *Rust-Block*\* corrosion protection system, slinger condenser fan, evaporator freeze

**protection**, and **high-pressure over protection** and *Adirondack-Aire* is the replacement solution the competition can't match. Cold Point Corp. backs the 'VT' with a customer friendly one-year parts and labor warranty and five-year compressor warranty, (see Warranty document for details). Heat pumps are available.

### **Application & Benefits:**

The Adirondack-Aire 'VT' series replacement chassis fits the existing ACP/Climate Master wall sleeves and room cabinets and works with the existing blower& heat section and control box without modification. A slinger ring condenser fan provides proven air flow performance and the draw-thru airflow pattern re-evaporates condensate and makes cleaning dirty coils easy. Troublesome drains may be eliminated. The standard high-pressure switch and evaporator freeze protection stops unit operation before damage occurs should airflow become reduced or obstructed due to dirty coils, obstructed airflow, or motor failures or lock-up....a premium feature usually found only in expensive commercial systems. Condensate re-evaporation and the Rust-Block system assure a stain-free building exterior. High efficiency compressors provide demonstrated reliability and low sound levels...and because the chassis dimensions and construction details are like the original, replacement work is fast and easy. Using Adirondack-Aire replacements eliminates the need for room and exterior wall renovation and gets your property back in service quickly and at the lowest total cost.

# **Options/Accessories:**

- Blower Section (consult factory)
- Heat Section (consult factory)
- Heat Pump

- Electric Heat (consult factory)
- •115V & 265/277V (availability varies by model size)
- Rust-Block corrosion protection system consists of:
- •Heavy gauge galvanized steel construction with powder paint finish
- •Galvanized or Aluminum Condenser Fan
- •Stainless steel compressor and condenser motor studs
- •Powder painted drain pan
- •Magnaguard and/or stainless steel screws and fasteners

#### Standard Features |

- 1). Made in USA
- 2). Designed for easy installation & compatibility. Dimensionally identical to original ACP/Climate Master chassis.
- 3). Exclusive Rust-Block corrosion protection
- 4). High efficiency PSC type fan motors w/built-in temperature protection
- 5). UL listed components and construction
- 6). Quiet, durable, and efficient compressor with built-in pressure & temperature protection
- 7). Heavy Gauge G60 galvanized steel construction with powder coat paint
- 8). High efficiency copper tube-aluminum fin evaporator and condenser coils

- 9). Draw-thru condenser airflow for easy cleaning
- 10). Condensate re-evaporation
- 11). High Pressure switch with manual reset
- 12). Frost free low ambient cooling\*
- 13). Refrigerant circuit access ports
- 14). Thermostatic expansion valve
- 15). Precision charged with R-22 refrigerant
- 16). Heat pump heating to 35° F outdoors\*\*
- 17). Positive shift reversing valve (heat pumps)
- 18). Suction accumulator (heat pump)




## **VT Dimensions and Specifications**

Note: Due to Cold Point Corporation's ongoing quality & product development programs, design and specifications may change. Always consult factory to verify the information provided here.

# DIMENSIONAL DETAIL 'VT'

### **CHASSIS**



# VT Series Cooling Only Performance Data\*

Model	Coo	Evaporator CFM/ ESP		
No.	BTU/h	EER	CFM/ ESP	
VT- 12	12,600	10.0	415/ 0.15	
VT- 18	18,000	9.5	500/ 0.15	

<sup>\*</sup> Rated in Accordance with ARI

### **VT Series Electric Heat Specifications**

Heater NO.	Volts	Watts	BTU/h	HTR Amps	HTG Amps	Min CKT Amps	Max. Fuse
	208			14.4	15.7	19.3	20
3	230	3,000	10,230	13.0	14.3	17.6	20
	265			11.3	12.4	15.3	15
	208			19.2	20.5	25.3	25
4	230	4,000	13,640	17.4	18.7	23.1	25
	265			15.1	16.2	20.0	20
	208			28.9	30.2	37.5	35
6	230	6,000	20,460	26.1	27.4	34.0	35
	265			22.7	23.8	29.5	30

### **VT Series Electrical Specifications**

Model	lel Volts/HZ/Ph Evap. Fan Motor		Cond. Fan Motor Co		Comp	Compressor			Max. Fuse	Min.	
No.		FLA	HP	FLA	HP	RLA	LRA	Amps.	Ampac.(1)	Size (1)	Volts
VT-12	208-230/60/1	1.3	1/10	1.8	1/4	5.06	28.0	8.16	9.5	15	197
VT-18	208-230/60/1	1.3	1/6	1.8	1/4	7.65	40.0	10.75	12.7	20	197
VT-12	265/60/1	0.7	1/8	1.8	1/4	4.25	26.0	6.75	7.9	15	239
VT-18	265/60/1	0.8	1/6	1.8	1/4	6.35	33.0	8.95	10.6	15	239

<sup>(1)</sup> If electric heat option is selected, Total AMPS, Ampacity, Fuse Size and line cord data is found in the electric heat table.

Model No.	Chassis Weight (lbs)
12	142
18	142